Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CURRENT STATE SUMMARIES.

Telegraphic Reports for Week Ended Sep.. 11, 1920.

These reports are preliminary and the figures are subject to change when later returns are received by the State health officers.

ALABAMA.

	Cases.
Diphtheria	32
Malaria	53
Scarlet fever	9
Smallpox	6
Trachoma	2
Tuberculosis (pulmonary)	13
Typhoid fever	34
Whooping cough	3

ARKANSAS.

Cerebrospinal meningitis	1
Chicken pox	15
Diphtheria	35
Hookworm	2
Influenza	9
Malaria	491
Measles	3
Ophthalmia neonatorum	3
Pellagra	16
Pneumonia	1
Scarlet fever	15
Smallpox	3
Trachoma	5
Tuberculosis	28
Typhoid fever	54
Whooping cough	79

CALIFORNIA.

Influenza	24
Lethargic encephalitis—San Francisco	1
Poliomyelitis	3
Smallpox:	
San Luis Obispo	7
Scattering	21
Typhoid fever:	
Bishop	7
Scattering	16

DELAWARE.

Pneumonia	1
Tuberculosis	15
Whooping cough	1

FLORIDA.

	Cases.
Diphtheria	18
Dysentery	2
Influenza	1
Malaria	64
Plague (bubonic)	1
Scarlet fever	1
Typhoid fever	6

GEORGIA.

Cerebrospinal meningitis	2
Chicken pox	1
Diphtheria	30
Dysentery (bacillary)	2
Dysentery (amebic)	2
Hookworm	3
Influenza	14
Malaria	152
Measles	20
Mumps	1
Paratyphoid fever	2
Pellagra	1
Pneumonia	2
Scarlet fever	9
Septic sore throat	2
Smallpox	2
Trachoma	4
Tuberculosis (all forms)	5
Typhoid fever	26
Whooping cough	6

ILLINOIS.

Cerebrospinal meningitis—Chicago	2
Diphtheria:	
Chicago	80
Scattering	40
Influenza—Chicago	11
Pneumonia—Chicago	41
Poliomyelitis:	
Bloomington	2
Chicago	5

ILLINOIS—continued.

	Cases.
Scarlet fever:	
Chicago	41
Scattering	22
Smallpox	23
Typhoid fever:	
Chicago	14
Scattering	13

INDIANA.

Diphtheria	26
Poliomyelitis:	
Allen County	1
Jackson County	1
Marion County	2
Shelby County	1
Scarlet fever	45
Smallpox	21
Typhoid fever	26

IOWA.

Cerebrospinal meningitis—Iowa County	1
Diphtheria	17
Poliomyelitis—Madrid	1
Scarlet fever	21
Smallpox:	
Armstrong	10
Dubuque	8
Scattering	12
Whooping cough	13

LOUISIANA.

Diphtheria	14
Leprosy	2
Malaria	87
Measles	8
Scarlet fever	4
Smallpox	17
Typhoid fever	21

MAINE.

Diphtheria	3
Malaria	2
Measles	6
Mumps	1
Poliomyelitis:	
Scarborough	1
Wiscasset	1
Scarlet fever	4
Tuberculosis	7
Typhoid fever	6

MARYLAND.[1]

Chicken pox	7
Diphtheria	18
Dysentery	7
Influenza	1
Malaria	9
Measles	15
Mumps	1
Paratyphoid fever	1
Pellagra	1
Pneumonia (all forms)	25
Poliomyelitis	1
Scarlet fever	22
Tuberculosis	76
Typhoid fever	52
Whooping cough	31

MASSACHUSETTS.

	Cases.
Anthrax	1
Cerebrospinal meningitis	8
Chicken pox	11
Conjunctivitis (suppurative)	5
Diphtheria	81
German measles	1
Influenza	10
Malaria	1
Measles	35
Mumps	21
Ophthalmia neonatorum	29
Pneumonia (lobar)	16
Poliomyelitis	53
Scarlet fever	54
Tetanus	1
Trachoma	2
Tuberculosis (pulmonary)	169
Typhoid fever	35
Whooping cough	110

MINNESOTA.

Poliomyelitis	6
Smallpox	1

MISSISSIPPI.

Diphtheria	30
Scarlet fever	10
Smallpox	3
Typhoid fever	16

NEBRASKA.

Cerebrospinal meningitis—Howells	1
Diphtheria	8
Measles	1
Scarlet fever	13
Smallpox	12
Tuberculosis	1
Typhoid fever	3
Whooping cough	8

NEW JERSEY.

Influenza	4
Pneumonia	23

NEW MEXICO.

Actinomycosis	1
Diphtheria	13
Malaria	1
Measles	1
Mumps	1
Pneumonia	3
Scarlet fever	3
Smallpox	1
Tuberculosis	20
Typhoid fever	14
Whooping cough	1

NEW YORK.

(Exclusive of New York City.)

Anthrax	1
Cerebrospinal meningitis:	
Barton	1
Lackawanna	2
Diphtheria	56
Lethargic encephalitis	2

[1] Week ended Friday.

NEW YORK—continued.

	Cases.
Measles	95
Pneumonia	56
Scarlet fever	54
Smallpox	2
Typhoid fever:	
Seneca Falls	41
Scattering	62
Whooping cough	203

NORTH CAROLINA.

Chicken pox	7
Diphtheria	96
Measles	34
Scarlet fever	28
Septic sore throat	3
Smallpox	8
Typhoid fever	89
Whooping cough	112

SOUTH DAKOTA.

Diphtheria	5
Measles	8
Poliomyelitis	2
Scarlet fever	11
Smallpox	9
Tuberculosis	16
Typhoid fever	3

TEXAS.

Diphtheria:	
Grapevine	7
Scattering	5
Influenza	2
Malaria:	
Grapevine	57
Scattering	16
Mumps	1
Pellagra	1
Scarlet fever	3
Typhoid fever	8
Whooping cough	8

VERMONT.

Chicken pox	10
Diphtheria	1
Measles	6

VERMONT—continued.

	Cases.
Mumps	5
Scarlet fever	10
Typhoid fever	9
Whooping cough	9

WASHINGTON.

Chicken pox	1
Diphtheria	8
Measles	2
Scarlet fever	6
Smallpox	20
Tuberculosis	10
Typhoid fever	13
Whooping cough	2

WEST VIRGINIA.

Cerebrospinal meningitis—Charleston	1
Diphtheria	7
Measles	1
Scarlet fever	5
Smallpox	1
Typhoid fever	2

WISCONSIN.

Milwaukee:	
Cerebrospinal meningitis	1
Chicken pox	5
Diphtheria	16
Measles	1
Scarlet fever	28
Smallpox	6
Typhoid fever	2
Whooping cough	17
Scattering:	
Cerebrospinal meningitis	1
Chicken pox	3
Diphtheria	28
Influenza	4
Measles	21
Poliomyelitis	2
Scarlet fever	46
Smallpox	22
Tuberculosis	13
Typhoid fever	8
Whooping cough	65

Kentucky Report for Week Ended Sept. 4, 1920.

Cerebrospinal meningitis—Jefferson County	1
Chicken pox	5
Diphtheria	33
Dysentery	11
Influenza	4
Malaria	5
Measles	29
Paratyphoid fever	1
Pneumonia	5
Scarlet fever	20
Septic sore throat	4
Smallpox	12
Tonsillitis	7
Trachoma	3
Tuberculosis	20
Typhoid fever:	
Jefferson County	11
Scattering	41
Whooping cough	11

SUMMARY OF CASES REPORTED MONTHLY BY STATES.

Tables showing by counties the reported cases of cerebrospinal meningitis, influenza, malaria, pellagra, poliomyelitis, smallpox, and typhoid fever are published under the names of these diseases. (See names of these and other diseases in the table of contents.)

The following monthly State reports include only those which were received during the current week. These reports appear each week as received.

State.	Cerebrospinal meningitis.	Diphtheria.	Influenza.	Malaria.	Measles.	Pellagra.	Poliomyelitis.	Scarlet fever.	Smallpox.	Typhoid fever.
1920.										
Florida (August)	2	26	21	273	6	5	.....	6	.....	46
Iowa (July)	3	51	.....	.....	.....	.....	.....	80	201	.....
Oregon (July)	1	13	.....	.....	218	.....	.....	19	115	4

RECIPROCAL NOTIFICATION.

Connecticut—August, 1920.

Cases of communicable diseases referred during August, 1920, to other State health departments by department of health of the State of Connecticut.

Diseases and locality of notification.	Referred to health authority of—	Why referred.
Diphtheria:		
Westerly, R. I.	State board of health, Providence, R. I.	A case in Mystic, Conn., apparently was infected in Westerly, R. I., by an undiagnosed case of diphtheria.
Measles:		
West Gloucester, R. I.	.....do	In an investigation of measles cases in Putnam, Conn., 4 cases were found in West Gloucester, R. I.
Stafford, Conn	State department of public health, Boston, Mass.	A case visiting in Stafford, Conn., returned to her home in Palmer, Mass.
Typhoid fever:		
New Haven, Conn	.....do	Patient in New Haven, Conn., visited his brother at Mount Herman College, Mass., 2 weeks prior to onset of disease.
Madison, Conn	.....do	Patient visited North Adams, Mass., while in the incubation period of the disease.
New London, Conn	.....do	Patient was a nurse in a hospital at Fall River, Mass., 2 weeks prior to the onset of disease.
Madison, Conn	State department of health, Albany, N. Y.	Patient visited Alexandria, N. Y., less than 2 weeks prior to the onset of the disease.
East Hartford, Conn.	State department of public health, Boston, Mass.	Person from Holyoke, Mass., visited a typhoid fever case during the incubation period of the disease in East Hartford, Conn.
Hartford, Conn	State department of health, Harrisburg, Pa.	Patient became ill with typhoid fever 6 days after leaving Bens Creek, Pa.
Canaan, Conn	State department of public health, Boston, Mass.	Patient was sick at Canaan, Conn., and was taken to the hospital at Pittsfield, Mass., for treatment.
Hartford, Conn	State board of health, Concord, N. H.	Patient visited Weirs, N. H., about 3 weeks prior to the onset of the disease.
Whooping cough:		
New Canaan, Conn	State department of health, Albany, N. Y.	Patient was ill on arriving at New Canaan, Conn., from New York City.
Salisbury, Conn	.....do	Three children were ill on arriving at Lincoln City, Salisbury, Conn., from New York City.

ANTHRAX.

New Britain, Conn., and New York, N. Y.

During the week ended August 28, 1920, one death from anthrax was reported in New Britain, Conn., and two cases were reported in New York, N. Y.

CEREBROSPINAL MENINGITIS.

State Reports for July and August, 1920.

Place.	New cases reported.	Place.	New cases reported.
Florida (August):		Oregon (July):	
Escambia County—		Clackamas County	1
Pensacola	2		
Iowa (July):			
Hardin County	1		
Ida County	1		
Taylor County	1		
Total	3		

City Reports for Week Ended Aug. 28, 1920.

The column headed "Average cases" gives the average number of cases reported during the corresponding week of the years 1915 to 1919, inclusive. In instances in which the information is not available for the full five years, the average includes from one to four years.

Place.	Average cases.	1920		Place.	Average cases.	1920	
		Cases.	Deaths.			Cases.	Deaths.
California:				Michigan:			
Los Angeles	(1)	1		Detroit	(1)	1	1
Connecticut:				New Hampshire:			
Bridgeport	(1)	1		Berlin	0		1
Illinois:				New York:			
Chicago	8	3		New York	3	4	1
Rockford	0	1		Ohio:			
Indiana:				Cleveland	2	1	1
Bedford	0	1		Pennsylvania:			
Kansas:		1		Philadelphia	2	1	1
Hutchinson		1		Rhode Island:			
Louisiana:				Providence	(1)	1	1
New Orleans	(1)	1		Tennessee:			
Massachusetts:				Memphis	(1)	1	1
Chicopee	0		1				
Quincy	0	2					

[1] Average less than 1.

DIPHTHERIA.

See Telegraphic weekly reports from States, p. 2212; Monthly summaries by States, p. 2215; and Weekly reports from cities, p. 2224.

INFLUENZA.

City Reports for Week Ended Aug. 28, 1920.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
California:			Michigan:		
Los Angeles	2		Detroit	2	
Connecticut:			Missouri:		
Manchester	6		Kansas City	1	1
District of Columbia:			New York:		
Washington	1		New York	6	3
Illinois:			Ohio:		
Chicago	1		Dayton	1	
Maine:			Zanesville	1	
Biddeford	1		Texas:		
Maryland:			Dallas		1
Baltimore	1		Waco		1
Massachusetts:					
Boston	2	1			
Cambridge	1				
Somerville	1				

LEPROSY.

Los Angeles, Calif., and New Orleans, La.

During the week ended August 28, 1920, 1 case of leprosy was reported at Los Angeles, Calif., and 1 at New Orleans, La.

LETHARGIC ENCEPHALITIS.

State Reports for July and August, 1920.

During the month of August, 1920, one case of lethargic encephalitis was reported in Florida. During the month of July, 1920, 3 cases were reported in Oregon.

MALARIA.

Florida Report for August, 1920.

Place.	New cases reported.	Place.	New cases reported.
Florida (August):		Florida (August)—Continued.	
Alachua County	4	Leon County	28
Baker County	3	Levy County	13
Bay County	9	Liberty County	1
Bradford County	4	Manatee County	1
Brevard County	1	Marion County	13
Calhoun County	6	Monroe County	1
Citrus County	17	Okaloosa County	1
Columbia County	2	Orange County	2
De Soto County	2	Palm Beach County	3
Duval County	11	Pasco County	6
Jacksonville	22	Polk County	5
Escambia County	2	Putnam County	11
Pensacola	1	St. Johns County	13
Franklin County	13	Seminole County	3
Gadsden County	36	Suwanee County	1
Hernando County	2	Taylor County	5
Hillsboro County	1	Volusia County	4
Tampa	3	Wakulla County	2
Holmes County	1	Walton County	1
Jackson County	13	Washington County	1
Jefferson County	1		
Lake County	4	Total	273

City Reports for Week Ended Aug. 28, 1920.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alabama:			Massachusetts:		
Mobile	1		Cambridge	1	
Arkansas:			New Jersey:		
North Little Rock	2		Bloomfield	1	
California:			South Carolina:		
Sacramento	2		Charleston		1
Georgia:			Tennessee:		
Atlanta	1		Memphis	7	2
Brunswick	6		Texas:		
Rome	2		Dallas	22	
Savannah	5	1	Waco		1
Kentucky:			Utah:		
Louisville	1		Provo	1	
Louisiana:					
Alexandria	19				
New Orleans	2				

MEASLES.

See Telegraphic weekly reports from States, p. 2212; Monthly summaries by States, p.2215· and Weekly reports from cities, p. 2224.

PELLAGRA.

Florida Report for August, 1920.

Place.	New cases reported.	Place.	New cases reported.
Florida (August):		Florida (August)—Continued.	
Escambia County	1	Putnam County	1
Gadsden County	3	Total	5

City Reports for Week Ended Aug. 28, 1920.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alabama:			North Carolina:		
Birmingham	1	1	Greensboro		1
Massachusetts:			Texas:		
Waltham	1	1	Dallas	1	

PLAGUE.

Human Cases of Plague Reported.

Place.	Period covered.	Cases.	Deaths.	Remarks.
California:				
Alameda County	Apr. 19, 1920	1	1	Diagnosis confirmed Apr. 26.
Florida:				
Pensacola	June 2 to Sept. 7, 1920	10	4	
	Sept. 8–11	0	0	
Hawaii:				
Kalopa	Mar. 22, 1920	1	0	
Louisiana:				
New Orleans	Oct. 29 to Dec. 31, 1919	12	4	
	Jan. 1 to Sept. 7, 1920	7	3	
	Sept. 8–13	0	0	
Texas:				
Beaumont	June 26 to Sept. 7, 1920	14	5	
	Sept. 8–12	0	0	
Galveston	June 16 to Sept. 7, 1920	11	7	
	Sept. 8–12	0	0	
Port Arthur	July 7, 1920	1	1	From Galveston.

Plague-Infected Rodents.

Place.	Period covered.	Rodents found plague infected.
Florida:	1920.	
Pensacola	June 28 to Sept. 7	31
	Sept. 8–12	0
Louisiana:	1919.	
New Orleans	Nov. 1 to Dec. 31	276
	1920.	
	Jan. 1 to Sept. 4	285
	Sept. 5–12	0
Texas:		
Beaumont	July 1 to Sept. 7	121
	Sept. 8–12	1
Galveston	June 21 to Sept. 7	53
	Sept. 8–12	2

PLAGUE—Continued.

Rodents Examined for Plague Infection.

Place.	Period covered.	Rodents examined.	Found infected.
	1920.		
Florida:			
Pensacola	Week ended Sept. 4	340	1
Hawaii:			
Honolulu	Two weeks ended Aug. 7	706	0
Louisiana:			
New Orleans—			
Mus norvegicus	Week ended Aug. 28	3,333	0
Mus rattus	do	418	0
Mus alexandrinus	do	225	0
Wood rats	do	8	0
Miscellaneous	do	1	0
Putrid	do	203	0
Washington:			
Seattle	Month of July	1,208	0
	Month of August	1,050	0

PNEUMONIA (ALL FORMS).

City Reports for Week Ended Aug. 28, 1920.

Place.	Cases.	Deaths.
Alabama:		
Birmingham		3
California:		
Fresno		1
Los Angeles	11	3
Oakland		1
San Diego	1	1
San Francisco	2	3
Stockton		2
Colorado:		
Denver		4
Connecticut:		
Bridgeport	2	
Bristol		1
Hartford		2
New London		1
District of Columbia:		
Washington		2
Georgia:		
Atlanta		3
Brunswick		1
Illinois:		
Chicago	53	25
Danville		1
East St. Louis		1
Galesburg	1	
La Salle		1
Rockford		1
Indiana:		
Gary		3
Hammond		2
Indianapolis		8
Marion		1
Richmond		1
Terre Haute		2
Kansas:		
Lawrence	1	1
Wichita		1
Kentucky:		
Lexington		1
Louisville	1	2
Louisiana:		
Baton Rouge	2	2
New Orleans		6
Maine:		
Biddeford	1	
Portland		3
Maryland:		
Baltimore	10	4
Cumberland	1	
Massachusetts:		
Boston	2	2
Cambridge		1
Fall River	1	2
Haverhill		1
Lawrence	1	1
Lowell	1	2
Lynn	1	1
New Bedford		1
Quincy		1
Somerville	1	1
Southbridge	1	
Springfield	1	
Worcester	1	2
Michigan:		
Detroit	16	13
Flint	1	1
Grand Rapids	2	1
Kalamazoo	2	1
Marquette	1	
Minnesota:		
Duluth		1
St. Paul		3
Missouri:		
Kansas City	6	4
St. Joseph		2
Montana:		
Butte		1
Great Falls		1
Nebraska:		
Lincoln	1	
Omaha		1
New Jersey:		
Elizabeth		1
Kearny		1
Montclair		1
Orange	1	
Perth Amboy		1
Trenton		1
New York:		
Albany	1	
Buffalo	4	3
Lackawanna	1	2
Mount Vernon	2	
New York	53	67
Niagara Falls	4	
Olean		1
Port Chester	1	1
Rochester		4
Schenectady	3	

PNEUMONIA (ALL FORMS)—Continued.

City Reports for Week Ended Aug. 28, 1920—Continued.

Place.	Cases.	Deaths.
New York—Continued.		
Syracuse	1	2
Troy	1	.....
Yonkers	1	1
North Carolina:		
Charlotte	.....	2
Wilmington	.....	1
Ohio:		
Barberton	.....	3
Chillicothe	1	1
Cincinnati	.....	2
Cleveland	6	6
Dayton	1	.....
New Philadelphia	1	.....
Springfield	.....	1
Oklahoma:		
Oklahoma City	.....	2
Oregon:		
Portland	.....	3
Salem	1	.....
Pennsylvania:		
Philadelphia	38	21
Rhode Island:		
Providence	.....	3
South Carolina:		
Spartanburg	.....	1
Tennessee:		
Memphis	.....	2
Nashville	.....	2
Texas:		
Corpus Christi	1	1
Dallas	1	.....
El Paso	.....	1
Utah:		
Provo	1	.....
Salt Lake City	.....	1
Virginia:		
Richmond	.....	1
West Virginia:		
Wheeling	.....	2

POLIOMYELITIS (INFANTILE PARALYSIS).

City Reports for Week Ended Aug. 28, 1920.

The column headed "Average cases" gives the average number of cases reported during the corresponding week of the years 1915 to 1919, inclusive. In instances in which the information is not available for the full five years, the average includes from one to four years.

Place.	Average cases.	1920.	
		Cases.	Deaths.
California:			
Los Angeles	(1)	1	.....
Connecticut:			
Waterbury	.....	1	1
Illinois:			
Chicago	[2]3	8	.....
Evanston	1	1	.....
Iowa:			
Sioux City	0	2	.....
Massachusetts:			
Boston	(3)	14	3
Cambridge	(1)	2	1
Everett	0	2	.....
Haverhill	2	1	1
Lynn	(1)	.....	1
Malden	0	1	.....
Massachusetts—Cont'd.			
Pittsfield	1	3	.....
Quincy	0	2	.....
Somerville	(1)	1	.....
Taunton	(1)	2	.....
Winthrop	(1)	1	1
Missouri:			
St. Louis	1	4	.....
New York:			
New York	[4]4	2	.....
Niagara Falls	0	1	.....
Troy	(1)	1	.....
Ohio:			
Cincinnati	1	1	.....
Steubenville	0	1	.....

[1] Average less than 1.
[2] Excluding 1916 and 1917, epidemic years.
[3] Excluding 1916, the average is less than 1.
[4] Excluding 1916, an epidemic year.

RABIES IN ANIMALS.

Canton, Ohio, Week Ended Aug. 28, 1920.

During the week ended August 28, 1920, one case of rabies in animals was reported at Canton, Ohio.

RABIES IN MAN.

Pennsylvania Report for June, 1920.

During the month of June, 1920, one death from rabies in man was reported in Pennsylvania.

SCARLET FEVER.

See Telegraphic weekly reports from States, p. 2212; Monthly summaries by States, p. 2215; and Weekly reports from cities, p. 2224.

SMALLPOX.

Iowa and Oregon Reports for July, 1920.

Place.	Cases.	Deaths.
Iowa (July):		
Benton County	4	
Boone County	9	
Cass County	1	
Cerro Gordo County	4	
Clay County	4	
Clayton County	2	
Clinton County	2	
Delaware County	4	
Dubuque County	52	
Fayette County	5	
Franklin County	2	
Fremont County	3	
Hardin County	2	
Harrison County	3	
Jackson County	1	
Jasper County	3	
Johnson County	5	
Jones County	16	
Kossuth County	1	
Linn County	6	
Lyon County	13	
Mahaska County	5	
Marion County	1	
Mills County	1	
Mitchell County	5	
Monroe County	2	
Muscatine County	1	
Page County	2	
Polk County	9	
Iowa (July)—Continued.		
Pottawattamie County	7	
Ringgold County	1	
Scott County	4	
Sioux County	1	
Taylor County	1	
Van Buren County	8	
Warren County	3	
Wright County	8	
Total	201	
Oregon (July):		
Clackamas County	3	
Columbia County	4	
Coos County	12	
Klamath County	1	
Morrow County	3	
Multnomah County	1	
Portland	39	
Polk County	5	
Sherman County	8	
Umatilla County	8	
Union County	7	
Wallowa County	2	
Wasco County	1	
Washington County	13	
Yamhill County	8	
Total	115	

City Reports for Week Ended Aug. 28, 1920.

The column headed "Average cases" gives the average number of cases reported during the corresponding week of the years 1915 to 1919, inclusive. In instances in which the information is not available for the full five years, the average includes from one to four years.

Place.	Average cases.	1920.	
		Cases.	Deaths.
Alabama:			
Birmingham	(1)	1	
California:			
Fresno	0	2	
Los Angeles	(1)	1	
Oakland	(1)	7	
Pasadena	(1)	1	
Sacramento	(1)	2	
San Francisco	(1)	2	
Colorado:			
Denver	3	6	
Georgia:			
Atlanta	1	3	
Savannah	0	1	
Idaho:			
Boise	0	3	
Illinois:			
Chicago	2	1	
East St. Louis	0	2	
Galesburg	(1)	1	
Granite City	1	1	
Springfield	(1)	1	
Indiana:			
Bedford	0	1	
Gary		1	
Marion	2	1	
South Bend	0	2	
Iowa:			
Council Bluffs	(1)	2	
Davenport	(1)	2	
Dubuque	(1)	6	
Kansas:			
Hutchinson	0	1	
Wichita	(1)	2	
Louisiana:			
New Orleans	(1)	1	
Maryland:			
Cumberland	0	1	
Michigan:			
Detroit	2	18	
Flint	1	2	
Battle Creek	1	1	
Minnesota:			
Duluth	(1)	4	
Minneapolis	3	10	
St. Paul	1	2	
Winona	0	1	
Missouri:			
Joplin	0	2	
St. Louis	(1)	1	
Montana:			
Billings	1	1	
Great Falls	0	1	

[1] Average less than 1.

SMALLPOX—Continued.

City Reports for Week Ended Aug. 28, 1920—Continued.

The column headed "Average cases" gives the average number of cases reported during the corresponding week of the years 1915 to 1919, inclusive. In instances in which the information is not available for the full five years, the average includes from one to four years.

Place.	Average cases.	1920.	
		Cases.	Deaths.
Nebraska:			
Omaha	1	5	.....
New Jersey:			
Trenton	.....	3	.....
New York:			
New York	0	1	.....
Syracuse	0	2	.....
North Carolina:			
Winston-Salem	(1)	1	.....
Ohio:			
Akron	2	3	.....
Canton	0	2	.....
Lima	0	6	.....
Oklahoma:			
Oklahoma City	0	4	.....
Oregon:			
Portland	3	7	.....
South Carolina:			
Charleston	(1)	1	.....
Columbia	0	1	.....
South Dakota:			
Sioux Falls	0	1	.....
Utah:			
Provo	.....	4	.....
Salt Lake City	2	16	.....
Washington:			
Seattle	1	6	.....
Tacoma	1	1	.....
Vancouver	(1)	1	.....
Yakima	(1)	1	.....
West Virginia:			
Huntington	.....	1	.....
Wisconsin:			
Appleton	0	1	.....
Green Bay	0	2	.....
Kenosha	0	2	.....
Marinette	(1)	1	.....
Milwaukee	(1)	10	.....
Oshkosh	2	1	.....
Superior	(1)	8	.....

[1] Average less than 1.

TETANUS.

City Reports for Week Ended Aug. 28, 1920.

Place.	Cases.	Deaths.
California:		
Oakland	.....	1
Illinois:		
Chicago	.....	1
Indiana:		
Indianapolis	.....	1
Maryland:		
Baltimore	.....	1
Pennsylvania:		
Philadelphia	1	.....
South Carolina:		
Columbia	1	.....

TRICHINOSIS.

Florida Report for August, 1920.

During the month of August, 1920, one case of trichinosis was reported in Florida.

TUBERCULOSIS.

See Telegraphic weekly reports from States, page 2212, and Weekly reports from cities, page 2224.

TYPHOID FEVER.

State Reports for July and August, 1920.

Place.	New cases reported.
Florida (August):	
Baker County	1
Bradford County	3
Brevard County	2
Dade County—	
Miami	1
De Soto County	5
Duval County	4
Jacksonville	5
Escambia County	1
Pensacola	2
Gadsden County	1
Hillsborough County—	
Tampa	5
Leon County	2
Monroe County—	
Key West	3
Florida (August)—Continued.	
Okaloosa County	3
Pinellas County	4
Polk County	1
Putnam County	1
Volusia County	1
Walton County	1
Total	46
Oregon (July):	
Linn County	1
Multnomah County—	
Portland	1
Washington County	2
Total	4

City Reports for Week Ended Aug. 28, 1920.

The column headed "Average cases" gives the average number of cases reported during the corresponding week of the years 1915 to 1919, inclusive. In instances in which the information is not available for the full five years, the average includes from one to four years.

Place.	Average cases.	1920.	
		Cases.	Deaths.
Alabama:			
Anniston	(1)	2	
Birmingham	25	9	1
Mobile	2	1	
Arkansas:			
Fort Smith		1	
Hot Springs		1	
Little Rock	2	1	
California:			
Fresno	0	2	
Los Angeles	5	4	1
Redlands	0	1	
Sacramento	1	2	
San Francisco	5	3	
Santa Cruz	0	1	
Colorado:			
Colorado Springs	1	2	1
Denver	6	12	1
Connecticut:			
Bristol	(1)	1	
Hartford	5	4	
Meriden	0	2	
New Haven	6	3	
Norwich	1	2	
Delaware:			
Wilmington	1	1	1
District of Columbia:			
Washington	19	5	
Georgia:			
Athens		1	
Atlanta	4	5	1
Brunswick	0	1	1
Rome	0	1	
Savannah	2		1
Illinois:			
Chicago	15	6	
East St. Louis	1	1	
Galesburg	(1)	1	1
LaSalle		1	
Indiana:			
Bedford	1	1	
Fort Wayne	0	8	2
Hammond	0		1
Indianapolis	40	2	
Logansport	0		1
Kansas:			
Atchison	0	1	
Fort Scott	0		1
Hutchinson	0	7	
Kansas City	3	2	
Topeka	1	7	
Wichita	4	1	
Kentucky:			
Louisville	16	6	
Paducah		1	
Louisiana:			
New Orleans	9	26	
Maine:			
Auburn		1	
Portland	2	2	
Maryland:			
Baltimore	24	13	
Massachusetts:			
Boston	9	12	
Brockton	(1)	1	
Easthampton	0	1	
Everett	(1)	2	
Fall River	7	7	1
Lowell	2	1	
Malden	1	1	
New Bedford	2	3	
Newburyport	(1)	1	
Newton	(1)	1	
Salem	(1)	1	
Springfield	1	1	
Winchester	(1)	1	
Michigan:			
Detroit	15	6	2
Flint	5	10	2
Grand Rapids	2	1	
Pontiac	(1)	6	
Minnesota:			
Duluth	1		1
Minneapolis	2	1	
St. Paul	2	1	
Winona	0	1	
Missouri:			
Independence	0	2	
Joplin	0	1	
Kansas City	6	4	3
St. Louis	16	6	

[1] Average less than 1.

TYPHOID FEVER—Continued.

City Reports for Week Ended Aug. 28, 1920—Continued.

The column headed "Average cases" gives the average number of cases reported during the corresponding week of the years 1915 to 1919, inclusive. In instances in which the information is not available for the full five years, the average includes from one to four years.

Place.	Average cases.	1920.	
		Cases.	Deaths.
Montana:			
Billings	0	2	1
Missoula	0	1	.....
Nebraska:			
Lincoln	(1)	1	.....
Omaha	(1)	1	.....
New Hampshire:			
Manchester	(1)	2	1
New Jersey:			
Atlantic City	3	4	.....
Hoboken	1	1	.....
Jersey City	2	1	.....
New York:			
Albany	2	1	.....
Buffalo	6	3	.....
Ithaca	0	.....	1
Mount Vernon	0	1	.....
New York	67	56	7
Niagara Falls	1	2	.....
North Tonawanda	0	1	.....
Port Chester	(1)	2	.....
Rochester	2	1	.....
Syracuse	1	2	.....
Watertown	2	4	.....
North Carolina:			
Charlotte	(1)	3	1
Durham	6	3	.....
Greensboro	1	.....	1
Wilmington	(1)	1	.....
Winston-Salem	7	3	.....
Ohio:			
Ashtabula	0	1	.....
Barberton	.....	1	1
Canton	2	2	.....
Cincinnati	3	2	.....
Cleveland	12	9	3
Columbus	3	1	.....
Fremont	2	1	.....
Piqua	1	.....	1
Sandusky	(1)	1	.....
Springfield	3	1	.....
Toledo	8	1	1
Oklahoma:			
Oklahoma	1	2	2
Pennsylvania:			
Allentown	2	5	.....
Bethlehem	(1)	5	.....
Bradford	0	1	.....
Erie	2	1	.....
Harrisburg	5	1	.....
Johnstown	2	1	.....
Lancaster	(1)	1	.....
Philadelphia	22	1	2
Pottsville	(1)	1	.....
Reading	3	2	.....
Shamokin	0	1	.....
West Chester	3	2	.....
York	2	2	.....
Rhode Island:			
Providence	5	2	.....
South Carolina:			
Columbia	2	3	.....
Tennessee:			
Knoxville	1	3	1
Memphis	5	.....	1
Nashville	16	8	.....
Texas:			
Dallas	2	13	3
Fort Worth	3	2	.....
Galveston	(1)	1	.....
Waco	0	1	.....
Utah:			
Provo	.....	1	.....
Virginia:			
Norfolk	4	6	.....
Richmond	8	4	.....
Roanoke	3	2	1
Washington:			
Seattle	1	1	.....
Tacoma	2	3	.....
West Virginia:			
Bluefield	1	2	1
Huntington	.....	3	.....
Moundsville	(1)	1	.....
Wisconsin:			
Appleton	0	1	.....
Fond du Lac	0	1	.....

[1] Average less than 1.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

City Reports for Week Ended Aug. 28, 1920.

City.	Population as of July 1, 1917 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Akron, Ohio	93,604	28	5	1	.....	.....	3	1	.....	.....
Alameda, Calif	28,433	7	1	.....	.....	.....	.....	.....	.....	.....
Albany, N. Y	106,632	.....	.....	.....	4	.....	.....	.....	4	.....
Alexandria, La	16,232	5	.....	.....	.....	.....	.....	.....	1	.....
Alexandria, Va	17,959	2	.....	.....	.....	.....	.....	.....	.....	.....
Allentown, Pa	65,109	.....	.....	.....	.....	.....	.....	.....	5	.....
Alton, Ill	23,783	4	.....	.....	1	.....	.....	.....	.....	.....
Altoona, Pa	59,712	.....	2	.....	.....	.....	2	.....	.....	.....
Amesbury, Mass	10,200	0	.....	.....	.....	.....	.....	.....	.....	.....
Ann Arbor, Mich	15,041	7	.....	.....	.....	.....	.....	.....	.....	.....
Anniston, Ala	14,326	.....	2	.....	.....	.....	.....	.....	4	.....
Ansonia, Conn	16,954	0	.....	.....	1	.....	2	.....	.....	.....

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Aug. 28, 1920—Continued.

City.	Population as of July 1, 1917 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Appleton, Wis.	18,005		3							
Arlington, Mass.	13,073	5					2			1
Asbury Park, N. J.	14,629	5							1	
Ashtabula, Ohio	22,008	5	1							
Athens, Ga.	18,519		1							
Atlanta, Ga.	196,144	57	3		2		2		1	3
Atlantic City, N. J.	59,515	9	2		2				2	
Attleboro, Mass.	19,776	5					1		1	
Auburn, Me.	16,607	4								
Aurora, Ill.	34,795	11	1		2					
Baltimore, Md.	594,637	172	7		6		13		18	18
Bangor, Me.	26,958								2	
Barberton, Ohio	14,187	10							1	1
Baton Rouge, La.	17,544	8							1	1
Battle Creek, Mich.	30,159		3							
Bayonne, N. J.	72,264						1		3	
Beatrice, Nebr.	10,437	3								1
Beaumont, Tex.	28,851	11	2							2
Beaver Falls, Pa.	13,749						1			
Bedford, Ind.	10,613	0								
Belleville, N. J.	12,797								1	
Beloit, Wis.	18,547						3			
Berlin, N. H.	13,892	4								
Bethlehem, Pa.	14,353		3							
Beverly, Mass.	22,128	1								
Billings, Mont.	15,123	10					1		7	
Birmingham, Ala.	189,716	44	3				1		7	5
Bloomfield, N. J.	19,613	5								
Bloomington, Ind.	11,661	3	1							1
Boise, Idaho	35,951	3			3					
Boston, Mass.	767,813	184	18		9		5		36	18
Braddock, Pa.	22,060		2						1	
Bradford, Pa.	[1] 14,544				4					
Brazil, Ind.	10,472	1								
Bridgeport, Conn.	124,724	33	5		1		1		10	2
Bristol, Conn.	16,318	5								
Brockton, Mass.	69,152	9	1						3	
Brookline, Mass.	33,526	6							3	
Brunswick, Ga.	10,984	3								1
Buffalo, N. Y.	475,781	114	19	1	9	1	3		33	8
Burlington, Iowa	25,144	5								
Burlington, Vt.	21,862	14					1			1
Butler, Pa.	28,677				1					
Butte, Mont.	44,057	18			4		4		1	3
Cadillac, Mich.	10,158	1								
Cairo, Ill.	15,995	2								
Cambridge, Mass.	114,293	22	1		5		1		4	4
Canton, Ill.	13,674	1								
Canton, Ohio	62,566	15	1				1		1	1
Carbondale, Pa.	19,597		3							
Centralia, Ill.	11,838	4								
Charleston, S. C.	61,041	14	2						1	1
Charlotte, N. C.	40,759	24	2						1	2
Chelsea, Mass.	46,405	8	2		2				3	2
Chester, Pa.	41,857		2		4		1			
Cheyenne, Wyo.	[1] 11,320	1								
Chicago Heights, Ill.	22,863	8								
Chicago, Ill.	2,547,201	505	80	6	16	1	26		163	43
Chicopee, Mass.	29,950	7	4							2
Chillicothe, Ohio	15,625	2								
Cincinnati, Ohio	414,248		7	1			8		9	3
Cleveland, Ohio	692,259	129	18	1	8	1	20		24	15
Coatesville, Pa.	14,998		1							
Coffeyville, Kans.	18,331	2								
Cohoes, N. Y.	25,292	6			5					
Colorado Springs, Colo.	38,965	9							4	2
Columbia, S. C.	35,165								2	
Concord, N. H.	22,858	10					1		7	1
Connellsville, Pa.	15,876						2			
Corpus Christi, Tex.	10,789	4								
Cortland, N. Y.	13,321	5			1				4	

[1] Population Apr. 15, 1910.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Aug. 28, 1920—Continued.

City.	Population as of July 1, 1917 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Council Bluffs, Iowa	31,838	8					1			
Covington, Ky	59,623	13								
Cumberland, Md	26,686	11							3	
Dallas, Tex	129,738	33	4	1	3		1		5	1
Danbury, Conn	22,931	7								
Danville, Ill	32,969	8								1
Dayton, Ohio	128,939	42	3						3	
Decator, Ill	41,483	5					1			
Dedham, Mass	10,618	2	1				1			
Denver, Colo	268,439	60	28	1	6	1	2			17
Des Moines, Iowa	104,052		2				3			
Detroit, Mich	619,648	178	46	5			30	2	31	17
Dover, N. H	13,276	2								
Dubuque, Iowa	40,096		1	1			3			
Duluth, Minn	97,077	20	9				7		5	
Durham, N. C	26,160	4							1	1
East Chicago, Ind	30,286	6								
Easthampton, Mass	10,656	1							1	1
Easton, Pa	30,854				2					
East Orange, N. J	43,761	5								1
East St. Louis, Ill	77,312	12							1	1
Eau Claire, Wis	18,887						1		1	
Elgin, Ill	28,562	5	1							1
Elizabeth, N. J	88,830		2		1		5		4	
Elkhart, Ind	22,273	5					2			
El Paso, Tex	69,149	41								9
Elwood, Ind	[1] 11,028	3								
Englewood, N. J	12,603	2					2			
Erie, Pa	76,592		6				4		5	
Eureka, Calif	15,142	5	1							
Evanston, Ill	29,304	10					1			
Everett, Mass	40,160	9	1						2	
Everett, Wash	37,205				1					
Fall River, Mass	129,828	46	4		1		2		2	5
Fargo, N. Dak	17,872	12								
Findlay, Ohio	[1] 14,858	2								
Flint, Mich	57,386	21	7		1		4			
Fond du Lac, Wis	21,486						1			
Fort Scott, Kans	10,564	3	3							
Fort Smith, Ark	29,390		2				2		2	
Fort Wayne, Ind	78,014	17	1	1						
Fort Worth, Tex	109,597	26	1						1	
Fostoria, Ohio	10,959	0	1							
Framingham, Mass	14,149	4								
Freeport, Ill	19,844	3								
Fremont, Nebr	10,080	0								
Fremont, Ohio	11,034	0					1			
Fresno, Calif	36,314	5	1				1			
Galesburg, Ill	24,629	5								
Galveston, Tex	42,650	6								
Gardner, Mass	17,534	4								
Gary, Ind	56,000	10								
Geneva, N. Y	13,915	7								
Glens Falls, N. Y	17,160	2								
Grand Rapids, Mich	132,861	35	10	2			1		2	1
Granite City, Ill	15,890	5								
Great Falls, Mont	[1] 13,948	8					1			
Greely, Colo	11,942	3								
Green Bay, Wis	30,017		1		1		1			
Greenfield, Mass	12,251	4	1							
Greensboro, N. C	20,171	9								1
Greenwich, Conn	19,594	5	2						1	
Hackensack, N. J	17,412	4	3							1
Hammond, Ind	27,016	10		1						
Harrisburg, Pa	73,276		1		1					
Harrison, N. J	17,345								1	
Hartford, Conn	112,831	26	3		1		3		4	
Haverhill, Mass	49,180	9	2							2
Hazelton, Pa	28,981						1			
Hoboken, N. J	78,324	12	1						2	1
Holland, Mich	13,459	0								

[1] Population Apr. 15, 1910.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Aug. 28, 1920—Continued.

City.	Population as of July 1, 1917 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Holyoke, Mass	66,503	14	1						1	
Hot Springs, Ark	17,690	8								2
Huntington, Ind	10,982	0	1							
Huntington, W. Va	47,086	21		1			1			3
Hutchinson, Kans	21,461		1						1	
Independence, Mo	11,964	5	3							
Indianapolis, Ind	283,622	70	1				2		16	7
Iowa City, Iowa	11,626	1	1							
Ironton, Ohio	14,079	4			1					
Ironwood, Mich	15,095	4	2		2					1
Irvington, N. J	16,710								1	
Ishpeming, Mich	[1] 12,448	3	2		1					
Ithaca, N. Y	16,017	1					1			
Jamestown, N. Y	37,431	3	3		2					
Janesville, Wis	14,411		1				1			
Jefferson City, Mo	13,712	3								
Jersey City, N. J	312,557		14				2		13	
Johnstown, Pa	70,437		2							
Joplin, Mo	33,400						1			
Kalamazoo, Mich	50,408	17	5				1		2	
Kankakee, Ill	14,270	0								
Kansas City, Kans	102,096		6				2		1	
Kansas City, Mo	305,816	89	3	1	16		1		7	7
Kearny, N. J	24,325	6							1	
Keene, N. H	10,725	3							6	1
Kenosha, Wis	32,833						3			
Kewanee, Ill	13,607	5								
Knoxville, Tenn	59,112		2				5	1	3	3
Kokomo, Ind	21,929	7	1						1	1
Lackawanna, N. Y	16,219	4	2		6				3	
La Fayette, Ind	21,481	4					1			
Lake Charles, La	14,930	5								1
Lancaster, Ohio	16,086	5					1		1	
Lancaster, Pa	51,437		4						3	
La Salle, Ill	12,332	3			1					
Lawrence, Kans	13,477	3			1		1			
Lawrence, Mass	102,623	19		1	2				4	2
Leavenworth, Kans	[1] 19,363	2							1	
Leominster, Mass	21,305	4								
Lexington, Ky	41,997	12							1	2
Lima, Ohio	37,145	13			1		1			
Lincoln, Nebr	46,957	11	1						2	2
Lincoln, R. I	10,473						1			
Little Rock, Ark	58,716		2				1		1	
Lockport, N. Y	20,028	3							1	1
Logansport, Ind	21,338	3					1			
Long Beach, Calif	29,163	18								1
Lorain, Ohio	38,266				2		3			
Los Angeles, Calif	535,485	125	20		21		1		51	25
Louisville, Ky	240,808	56	2						7	6
Lowell, Mass	114,366	22	1		13		4		9	
Ludington, Mich	10,566	1								
Lynn, Mass	104,534	15	1				3		3	
McKeesport, Pa	48,299				1					
McKees Rocks, Pa	20,795								1	
Mahanoy City, Pa	17,709		1							
Malden, Mass	52,243	12	1						1	
Manchester, Conn	15,859	1					1			
Manchester, N. H	79,607	14								
Manitowoc, Wis	13,931						1			
Mankato, Minn	[1] 10,365	3							1	
Marinette, Wis	[1] 14,610				1		1			
Marion, Ind	19,923	8					1			1
Marquette, Mich	12,555	3								
Mason City, Iowa	14,938	3	1	1						
Meadville, Pa	13,968				2					
Medford, Mass	26,681	9	1		3		1		1	
Melrose, Mass	17,724	3	1						1	
Memphis, Tenn	151,877	51	5		1				10	5
Meriden, Conn	29,431		1		1				1	

[1] Population Apr. 15, 1910.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Aug. 28, 1920—Continued.

City.	Population as of July 1, 1917 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Methuen, Mass	14,320	4							2	
Middletown, Ohio	16,384	6	2						2	1
Milwaukee, Wis	445,008	74	14	1	3		12	1	12	6
Minneapolis, Minn	373,448	68	6	1			2		13	8
Mishawaka, Ind	17,083	1								
Missoula, Mont	19,075	6								
Mobile, Ala	59,201	20								2
Monessen, Pa	23,070				1				1	
Montclair, N. J	27,087	2	1		1					
Montgomery, Ala	44,039	11	1						2	
Morgantown, W. Va	14,444	2							2	1
Morristown, N. J	13,410	6	1							
Moundsville, W. Va	11,513	2			1					
Mount Carmel, Pa	20,709		4							
Mount Vernon, N. Y	37,991	2							2	
Muscatine, Iowa	17,713	8								
Nanticoke, Pa	23,811				2					
Nashville, Tenn	118,136	34							1	3
New Bedford, Mass	121,622	40	2	1			1		6	5
New Britain, Conn	55,385	12			4		5			1
Newburyport, Mass	15,291	5							1	2
New Castle, Pa	41,915		2				1			
New Haven, Conn	152,275	32				1	11		7	2
New London, Conn	21,199		2						1	
New Orleans, La	377,010	121	10		13		2	2	15	12
Newport, R. I	30,585	4	1							
Newton, Mass	44,345	9			1				1	
New York, N. Y	5,757,492	1,088	98	9	20	1	30	2	[1] 171	[1] 96
Niagara Falls, N. Y	38,466	6	4		2		1		3	1
Norfolk, Va	91,148		1		1		3		3	3
Norristown, Pa	31,969		1							
North Adams, Mass	[2] 22,019	7	1						1	1
Northampton, Mass	20,006	10							2	
North Attleboro, Mass	11,248	3							2	
North Braddock, Pa	15,684		2							
North Little Rock, Ark	15,515	5								
North Tonawanda, N. Y	14,060	4	2							1
Norwalk, Conn	27,332	5							2	
Norwich, Conn	21,923	7							1	2
Norwood, Ohio	23,269	2								
Oakland, Calif	206,405	40	4	1		1	6			5
Oak Park, Ill	27,816	9	2							
Ogdensburg, N. Y	16,845	3								
Oil City, Pa	20,162				8					
Oklahoma City, Okla	97,588	14	3				4		4	
Olean, N. Y	16,927	4								
Omaha, Nebr	177,777	25	11	2	1		2			1
Orange, Conn	14,393	5								1
Orange, N. J	33,636	12			1		3		1	
Oshkosh, Wis	36,549		2							
Paducah, Ky	25,178		2				1		1	
Parkersburg, W. Va	21,059	5					1			
Pasadena, Calif	49,620	7							3	
Paterson, N. J	140,512	2	6		2				4	
Peekskill, N. Y	19,034	4								
Peoria, Ill	72,184	17	2				1			1
Perth Amboy, N. J	42,646	5	2		1		1		1	
Philadelphia, Pa	1,735,514	335	29	1	5		24		65	38
Phillipsburg, N. J	15,879	5								
Phoenixville, Pa	11,871				1					
Piqua, Ohio	14,275	1								
Pittsburgh, Pa	586,196		12		16		10		13	
Pittsfield, Mass	39,678	8			2		3		3	
Plainfield, N. J	24,330	9					1		1	
Plattsburgh, N. Y	13,111	3								
Plymouth, Mass	14,001	4								
Pontiac, Mich	18,006	10	1						2	
Port Chester, N. Y	16,727	5	1	1	1					1
Port Huron, Mich	[2] 18,863	6					1			
Portland, Me	64,720	23								
Portland, Oreg	308,399	52	1		1		3		10	4

[1] Pulmonary tuberculosis only.

[2] Population Apr. 15, 1910.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Aug. 28, 1920—Continued.

City.	Population as of July 1, 1917 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Portsmouth, N. H	11,730				1		1			
Portsmouth, Va	40,693	15			3					
Pottstown, Pa	16,987				3					
Pottsville, Pa	22,717		1							
Poughkeepsie, N. Y	30,786	12								1
Providence, R. I	259,895	64	4	4	3		3			11
Quincy, Ill	36,832	9					2			2
Quincy, Mass	39,022	7	1							1
Racine, Wis	47,465		4		1		3		2	
Rahway, N. J	10,361	1								
Raleigh, N. C	20,274	9								1
Reading, Pa	111,607		2							
Redlands, Calif	14,573	2								1
Reno, Nev	15,514	3								
Richmond, Ind	25,080	4					1			
Richmond, Va	158,702	41	11		2		2		14	5
Riverside, Calif	20,496	3	1		4					1
Roanoke, Va	46,282	20	1		1		2		1	3
Rochester, N. Y	264,714	60	18	2	1		1		12	3
Rockford, Ill	56,739	10	1				1			
Rock Island, Ill	29,452	6							1	
Rocky Mount, N. C	12,673	2	1							
Rome, Ga	15,607		1						1	
Rome, N. Y	24,259				8				1	
Rutland, Vt	15,038	2	1		5					
Sacramento, Calif	68,984	18					1		2	3
St. Joseph, Mo	86,498	24					1			2
St. Louis, Mo	768,650	138	45	3	4		5		39	12
St. Paul, Minn	252,465	36	17				1		9	6
Salem, Mass	49,346	8								
Salem, Oreg	21,274	4							1	
Salt Lake City, Utah	121,623	16			2				2	1
San Bernardino, Calif	17,616	3			1					1
San Diego, Calif	56,412	19	3		1				11	2
Sandusky, Ohio	20,226	5							1	
Sanford, Me	11,217	2								
San Francisco, Calif	471,023	107	4		3		8		18	13
Santa Barbara, Calif	15,360	5								
Santa Cruz, Calif	15,150	4	1							
Saratoga Springs, N. Y	13,839	6								
Sault Ste. Marie, Mich	14,130	2					3			
Savannah, Ga	69,250	46	1						1	5
Schenectady, N. Y	103,774	14			1				4	
Scranton, Pa	149,541		1						3	
Seattle, Wash	366,445						1			
Shamokin, Pa	21,274		1							
Sharon, Pa	19,156		1		1		3			
Sioux City, Iowa	58,568						4			
Sioux Falls, S. Dak	16,887	3			1					
Somerville, Mass	88,618	12							7	
South Bend, Ind	70,967	10					1		4	2
Southbridge, Mass	14,465	2					1			
Spartanburg, S. C	21,985	7	1							
Springfield, Ill	62,623	18	1				1			
Springfield, Mass	108,668	29	3				7	1	2	2
Springfield, Ohio	52,296	17					1		2	3
Stamford, Conn	31,810		1						1	
Steelton, Pa	15,759								1	
Steubenville, Ohio	28,259	[illegible]								
Stillwater, Minn	[1] 10,198	2	1							
Stockton, Calif	36,209	9								
Superior, Wis	47,167	7	1				2		1	1
Syracuse, N. Y	158,559	34	7		17	1	6		8	2
Tacoma, Wash	117,446				2					
Taunton, Mass	36,610	8	1						2	
Terra Haute, Ind	67,361	12	1							
Tiffin, Ohio	12,962	1							1	1
Toledo, Ohio	202,010	54	2	1			13	2	2	4
Topeka, Kans	49,538	7			2		2		15	

[1] Population Apr. 15, 1910.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Aug. 28, 1920—Continued.

City.	Population as of July 1, 1917 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Traverse City, Mich	14,090	5					1	1	1	
Trenton, N. J	113,974	34	1		1		1		5	4
Troy, N. Y	78,094	20							3	
Tuscon, Ariz	17,324	10								3
Uniontown, Pa	21,600		1							
Vallejo, Calif	13,803								1	1
Vancouver, Wash	13,805								1	
Waco, Tex	34,015	11								
Waltham, Mass	31,011	6	1		1					
Warren, Pa	15,083								1	
Washington, D. C	369,282	76	6		1		4		20	9
Washington, Pa	22,076				5					
Waterbury, Conn	89,201		1						8	2
Watertown, N. Y	30,404						2			
Wausau, Wis	19,666	2								1
West Chester, Pa	13,403				2		1		1	
Westfield, Mass	18,769	5	1							
West Hoboken, N. J	44,386	5								1
West New York, N. J	19,613	3	1							1
West Orange, N. J	13,964	2			1					
Wheeling, W. Va	43,657	12			1				1	
White Plains, N. Y	23,331	4								
Wichita, Kans	73,597	18					3		3	2
Wilkes-Barre, Pa	78,334		3						6	
Williamsport, Pa	34,123								1	
Wilmington, Del	95,369	27	1				2			
Wilmington, N. C	30,400	10	1						1	
Winchester, Mass	10,812	1	1							
Winona, Minn	18,583								1	
Winston-Salem, N. C	33,136	11							2	1
Winthrop, Mass	13,105	3	1							
Woburn, Mass	16,076	4								
Worcester, Mass	166,106	37	3						5	3
Yakima, Wash	22,058								1	
Yonkers, N. Y	103,066	16	2						15	3
York, Pa	52,770						1		2	
Zanesville, Ohio	31,320	6							2	1